

## Chief Stix THCA 1g preroll Blueberry OG 2ct

<b>Sample ID:</b> HR20241190336	<b>Produced:</b>	<b>Client:</b>
<b>Strain:</b> Blueberry OG	<b>Collected:</b> 11/08/2024	<b>H H Harvest CO</b>
<b>Matrix:</b> Plant	<b>Received:</b> 11/08/2024	<b>Lic. #</b> AG-R10666417HH
<b>Type:</b> Preroll	<b>Completed:</b> 02/26/2025	249 E Barnett Rd, Suite 110
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> PR-BBG-1612	Medford, OR 97501




### Summary

<b>Test</b>	<b>Date Tested</b>	<b>Result</b>
Batch		Complete
Cannabinoids	11/11/2024	Complete
Moisture	11/11/2024	13.70%

### Cannabinoids

Complete



Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/unit	Result mg/serving
THCa	0.20000	0.61000	8.24	82.40		
Δ9-THC	0.15000	0.45000	0.23	2.33		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	4.73	47.26		
CBD	0.15000	0.45000	4.80	48.03		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	4.97	49.68		
CBG	0.13000	0.39000	0.39	3.93		
CBC	0.14000	0.42000	0.34	3.44		
<b>Total THC</b>			<b>7.46</b>	<b>74.59</b>	<b>0.00</b>	<b>0.00</b>
<b>Total CBD</b>			<b>8.95</b>	<b>89.48</b>		
<b>Total</b>			<b>21.50</b>	<b>215.01</b>	<b>0.00</b>	<b>0.00</b>
<b>Sum of Cannabinoids</b>			<b>23.71</b>	<b>237.07</b>		

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*

Ming Li - General Manager  
02/26/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.