


## Shatter

Sample ID: HR20250390292  
Strain: Shatter  
Matrix: Concentrates & Extracts  
Type: Shatter  
Sample Size: ; Batch:

Produced:  
Collected: 03/07/2025  
Received: 03/07/2025  
Completed: 03/11/2025  
Batch#:

Client  
**Gold Spectrum**  
Lic. #  
6315 Kingsport Hwy, Suite 2  
Johnson City, TN 37615



## Summary

Test	Date Tested	Result
Batch	03/07/2025	Complete
Cannabinoids	03/07/2025	Complete

## Cannabinoids

Complete

34.22%				ND		35.76%	
Total THC				Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.20000	0.61000	38.69	386.92			
Δ9-THC	0.15000	0.45000	0.29	2.91			
Δ8-THC	0.14000	0.42000	ND	ND			
THCV	0.15000	0.44000	ND	ND			
CBDa	0.10000	0.31000	ND	ND			
CBD	0.15000	0.45000	ND	ND			
CBN	0.16000	0.50000	ND	ND			
CBGa	0.29000	0.88000	1.75	17.48			
CBG	0.13000	0.39000	ND	ND			
CBC	0.14000	0.42000	ND	ND			
Total THC			34.22	342.24	0.00	0.00	
Total CBD			ND	ND	ND	ND	
Total			35.76	357.57	0.00	0.00	
Sum of Cannabinoids			40.73	407.31			

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*

Ming Li - General Manager  
03/11/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.